

Product Name Multi-Functional Chlorinating Granules

Product id 2007M

Revision date 21/12/2004 Revision: 1

1. Identification of the substance & the company

Chemical name Sodium dichloroisocyanurate, dihydrate

Synonym(s) Sodium dichlor; Sodium dichloroisocyanurate, dihydrate; Sodium dichloro-s-

triazinetrione dihydrate; CDB Clearon; Troclosene sodium, dehydrate

Chemical formula NaCl 2 (NCO) 3 x2H 2 O

Chemical family Chloroisocyanurate

Molecular weight 256

Type of product and useFor disinfectant, sanitizers, fungicides, bactericides and algaecides for pools, spas and

hot tubs

Supplier NAVA Water Products

2115 Linwood Avenue, Fort Lee, New Jersey 07024-5004

USA Tel: 201 242 6560

Emergency Telephone Chemtrec (800)424-9300

2. Composition / information on ingredients

Components	Weight %	ACGIH-TLV Data	OSHA (PEL) Data
CAS			
SODIUM DICHLOROISO	99-100	Not determined	Not determined
CYANURATE, DIHYDRATE			
51580-86-0			
Sodium Chloride	0-1	Not determined	Not determined
7647-14-5			

3. Hazards identification

Emergency overview White granules

Corrosive

May be fatal if inhaled

Causes irreversible eye damage

Harmful if absorbed through skin or swallowed



Product Name Multi-Functional Chlorinating Granules

Product id 2007M

Revision date 21/12/2004 Revision: 1

Potential Health Effects:

- Eye Contact Severe irritation and/or burns can occur following eye exposure. Contact may cause

impairment of vision and corneal damage.

- **Skin contact** Dermal exposure can cause severe irritation and/or burns characterized by redness,

swelling and scab formation.

Prolonged skin exposure may cause permanent damage.

- Inhalation Irritating to the nose, mouth, throat and lungs.

It may also cause burns to the respiratory tract with the production of lung edema that can result in shortness of breath, wheezing, choking, chest pain, and impairment of

lung function.

Inhalation of high concentrations can result in permanent lung damage from the

corrosive action of the lung.

stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain,

bleeding and/or tissue ulceration.

Ingestion causes severe damage to the gastrointestinal tract with the potential to

cause perforation.

NFPA Ratings (Scale 0-4) Health = 2, Fire = 0, Reactivity = 1.

Special Hazard Warning: OXIDIZER

HMIS Ratings (Scale 0-4) Health = 3, Fire = 0, Reactivity = 1.

4. First-aid measures

Eye contactHold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a

poison control center or doctor for treatment advise.

Skin contact Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control

center or doctor for treatment advise.

Inhalation Move person to fresh air. If person is not breathing, call 911 or an ambulance, then

give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison

control center or doctor for further treatment advise.

IngestionCall poison control center, or doctor immediately for treatment advise.

Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by the poison control center or doctor. Do

not give anything by mouth to an unconscious person.

Note to physician Probable mucosal damage may contraindicate the use of gastric lavage.



Product Name Multi-Functional Chlorinating Granules

Product id 2007M

Revision date 21/12/2004

Medical conditions aggravated by exposure

Asthma, respiratory and cardiovascular diseases.

5. Fire - fighting measures

Flash point

Auto-ignition temperature

Suitable extinguishing media

Not applicable

Not applicable

Water

Suitable extinguishing media Extinguishing media not to be

used

Do not use dry chemical extinguisher containing ammonia compounds.

Fire fighting procedure Fire fighters should wear full protective clothing and self-contained breathing

apparatus (SCBA) in positive pressure mode Cool containers with water spray. On

Revision: 1

small fires, use water spray or fog.

On large fires, use heavy deluge or fog streams.

Flooding amounts of water may be required before extinguishment can be

accomplished.

Unusual fire and explosion

hazards

When heated to decomposition, may release poisonous and corrosive fumes of

nitrogen trichloride, chlorine and carbon monoxide.

6. Accidental release measures

Personal precautions

For small spills in a well-ventilated areas, wear a NIOSH approved half-face or full face tight fitting respirator or a loose fitting powered air purifying respirator equipped with chlorine cartridges.

Chemical goggles should be worn when using a half-face respirator. In addition to respiratory protection, wear coveralls; chemical resistant gloves; chemical resistant footwear; and chemical resistant headgear for overhead exposure.

For clean-up of large spills, or small dry spills in confined areas, wear full-face respirator with chlorine cartridges or a positive pressure supplied air respirator. Additionally, body protection should be impervious clothing covering entire body to prevent personal contact with material.

CAUTION - Protection concerns must also address the following: If this material becomes damp/wet or contaminated in a container, the formation of nitrogen trichloride gas may occur and an explosive condition may exist.

Methods for cleaning up

Hazardous concentrations in air may be found in local spill area and immediately downwind. If spill material is still dry, do not put water directly on this product as a gas evolution may occur.

- Soil

Do not contaminate spill material with any organic materials, ammonia, ammonium salts or urea.

Clean up all spill material with clean, dry dedicated equipment and place in a clean dry container.

intamer.



Product Name Multi-Functional Chlorinating Granules

 Product id
 2007M

 Revision date
 21/12/2004

- Water This material is heavier than and soluble in water. Stop flow of material into water as

soon as possible. Begin monitoring for available chlorine and pH immediately.

Revision: 1

- In air Vapors may be suppressed by the use of water fog.

7. Handling and storage

Handling Do not take internally.

Avoid contact with skin, eyes, and clothing.

Upon contact with skin or eyes, wash off with water.

Storage Store in a dry, cool, well-ventilated area.

away from incompatible materials (see "materials to avoid"). Do not store at

temperatures above 60°C/140°F.

Product has an indefinite shelf-life limitation.

8. Exposure controls / personal protection

Ventilation requirementsUse local exhaust ventilation to minimize dust and chlorine levels where industrial use

occurs.

Otherwise, ensure good general ventilation.

Personal protective equipment:

A respiratory protection program meeting OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

- Respiratory protection When dusty conditions are encountered, wear a NIOSH/OSHA full-face respirator with

chlorine cartridges for protection againts chlorine gas and dust/mist pre-filter.

Safety shower and eve bath should be provided. Do not eat, drink or smoke until after-

Hand protection Neoprene gloves

Eye protection Use chemical safety glasses to avoid eye contact.

Where industrial use occurs, chemical goggles may be required.

- Skin and body protection Hygiene measures Impervious body covering clothes, boots and neoprene apron

work showering and changing clothes.

9. Physical and chemical properties

Appearance White granules
Odor Mild chlorine-like
Melting point/range Not applicable
Boiling point/range Not applicable

Vapour pressureNot applicable under standard conditionsVapor densityNot applicable under standard conditionsEvaporation rate (ether=1)Not applicable under standard conditions

Solubility:

- Solubility in water 25 g/100ml at 30°C Bulk density 0.9-0.95 g/cc

Page 4 of 8



Product Name Multi-Functional Chlorinating Granules

Product id 2007M

Revision date 21/12/2004 Revision: 1

Specific gravity 0.96

pH 6-6.5 (1% solution)

Decomposition temperature Begins to lose 1 mole water at approximately 50°C; second mole water at 95°C;

Decomposes at 240-250°C

10. Stability and reactivity

Stability Stable under normal conditions

Do not package in paper or cardboard.

Begins to lose one mole of water at approximately 50°C

Materials to avoid Organic materials, reducing agents, nitrogen containing materials, other oxidizers,

acids, bases, oils, grease, sawdust, dry fire extinguishers containing monoammonium

compounds.

Conditions to avoid ...

Hazardous decomposition

products

Heating above decomposition temperature

Nitrogen trichloride, chlorine, carbon monoxide

Hazardous polymerization Will not occur

Summary of Reactivity: Oxidizer: Yes

Organic Peroxide: No

Pyroforic: No Water Reactive: No

11. Toxicological information

Acute toxicity:

- Rat oral LD50 735 mg/kg
- Rabbit dermal LD50 >2000 mg/kg
- Rat inhalation LC50 >50 mg/m³/1 hour

Eye irritation (rabbit)
 Dermal irritation (rabbit)
 Dermal sensitization

Corrosive
Corrosive
Not a sensitizer

--(quinea pig)

Immediately Dangerous to Life or No level has been established for the components or the product itself.

Health (IDLH)

Target organ effects This product is corrosive to all tissues contacted and upon inhalation, may cause

irritation to mucous membranes and respiratory tract.

There are no known or reported effects from repeated exposure.

Toxicological investigation indicates it does not produce significant effects from chronic

exposure.

Chronic toxicity Chronic inhalation exposure may cause impairment of lung function and permanent

lung damage.

Mutagenicity Not mutagenic in five Salmonella strains with or without metabolic activation.



Product Name Multi-Functional Chlorinating Granules

Product id 2007M

Revision date 21/12/2004 Revision: 1

Carcinogenicity Not classified by IARC, OSHA, EPA.

Not included in NTP 10th Report on Carcinogens.

Reproductive toxicity Sodium dichloroisocyanuric acid when given orally to pregnant mice from day 6 to day

15 of gestation, did not induce any significant teratogenic effects.

12. Ecological information

Aquatic toxicity:

- 96 Hour-LC50, Fish 0.22 mg/l (Rainbow trout)

0.28 mg/l (bluegill sunfish)

- 48 Hour-LC50, Daphnia magna 0.2 mg/l

Avian toxicity:

Oral LD50, Bobwhite quail
 Oral LD50, Mallard duck
 Dietary LC50, Mallard duck
 Dietary LC50, Bobwhite quail
 730 mg/kg
 3300 mg/kg
 >10,000 ppm
 >10,000 ppm

13. Disposal considerations

Waste disposal Care must be taken to prevent environmental contamination from the use of this

material.

Observe all federal, state and local environmental regulations when disposing of this

material.

14. Transportation information

DOT Not regulated

IMO Not regulated

ICAO/IATA Not regulated

15. Regulatory information

USA Reported in the EPA TSCA Inventory

- Massachusetts right-to-know

substance list -

- Pennsylvania right to know list Listed

Listed



Product Name Multi-Functional Chlorinating Granules

Product id 2007M

Revision date 21/12/2004 Revision: 1

Sara (311, 312) hazard class This product is categorized as an immediate health hazard, and fire and reactivity

physical hazard

- WASTE CLASSIFICATIONS If this product becomes a waste, it does not meet the criteria of a hazardous waste as

defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous

waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.

- WORKPLACE CLASSIFICATION This product is considered hazardous under the OSHA Hazard Communication

Standard (29CFR 1910.1200).

- EEC No. 220-767-7; 231-598-3

Japanese METI ENCS Nos: 5-1043X, 1-236

Australia Listed in AICS

Philippines Listed in PICCS

16. Other information

The information in this Material Safety Data Sheet should be provided to all who will use, handle, store, transport, or otherwise be exposed to this product.

This information has been prepared for the guidance of plant engineering, operations and management and for persons working with or handling this product.

Additionally, if this Material Safety Data Sheet is more than three years old, you should contact NAVA Water products at the phone number listed below to make certain that this sheet is current.

Although the information and recommendations set forth herein (herinafter "information") are presented in good faith and believed to be correct as of the date hereof, NAVA Water Products makes no representations as to the completeness or accuracy thereof.

Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use.

In no event will NAVA Water Products be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANT ABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

In an event of discrepancy between the contents of this MSDS and the English version of it, the English version shall prevail.

Prepared by HEALTH, SAFETY & ENVIRONMENT DEPARTMENT

CLEARON CORPORATION 95 MacCorkle Ave.,S.W. South Charleston,WV 25303

USA

Phone number: (304)746-3000

End of safety data sheet Page 7 of 8



Product Name Multi-Functional Chlorinating Granules
Product id 2007M

Revision date 21/12/2004 Revision: 1