

SAFETY DATA SHEET GREEN 2 SOLUTION

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification

Product identifier

Product name GREEN 2 SOLUTION

Product number PT228, PT804, LR-9890, SKW400, SKW400NPK, SKW500, PT270SPEC, PT296, PT791,

PT802, PT753

Recommended use of the chemical and restrictions on use

Application Testing water

Details of the supplier of the safety data sheet

Supplier PALINTEST USA

400 CORPORATE CIRCLE

SUITE J GOLDEN COLORADO 80401 USA

Tel: (720) 221-6878 Fax: (720) 496-4766 info@palintestusa.com

Emergency telephone number

Emergency telephone +44 (0)207 858 1228 (24hr)

National emergency telephone +44 (0)207 858 1228 (24hr) +44 (0)207 858 1228 (24hr)

number

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Met. Corr. 1 - H290

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Muta. 2 -

H341 Carc. 1A - H350 Repr. 1A - H360D STOT RE 1 - H372

Environmental hazards Aquatic Acute 2 - H401 Aquatic Chronic 2 - H411

Label elements

Hazard symbols







Signal word

Danger

Hazard statements H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects.

H350 May cause cancer.

H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements P202 Do not handle until all safety precautions have been read and understood.

P234 Keep only in original container.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.

Contains HYDROCHLORIC ACID 37%, NICKEL (II) SULFATE HEXAHYDRATE

Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

3. Composition/information on ingredients

Mixtures

HYDROCHLORIC ACID 37% 3-5%

CAS number: 7647-01-0

Classification

Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Revision date: 10/1/2020 Revision: 13 Supersedes date: 8/31/2018

GREEN 2 SOLUTION

NICKEL (II) SULFATE HEXAHYDRATE

<3.1%

CAS number: 10101-97-0

M factor (Acute) = 1 M factor (Chronic) = 1

This product is/contains a substance that is included in REGULATION (EC) No 1907/2006 (REACH) ANNEX XVII - RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES.

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 1A - H350i Repr. 1A - H360D STOT RE 1 - H372 Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

Composition comments When handled correctly, undamaged units represent no danger.

4. First-aid measures

Description of first aid measures

General information When handled correctly, undamaged units represent no danger.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing.

Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Keep affected person under

observation. Get medical attention if any discomfort continues. Show this Safety Data Sheet

to the medical personnel.

Skin Contact Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur

after washing.

Eve contact Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical

attention if irritation persists after washing. Show this Safety Data Sheet to the medical

personnel.

Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation May cause respiratory irritation.

Ingestion May cause irritation.

Skin contact Prolonged contact may cause burns.

Eye contact May cause severe eye irritation.

Indication of immediate medical attention and special treatment needed

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Hazardous combustion

products

Heating may generate the following products: Toxic and corrosive gases or vapors.

Advice for firefighters

Protective actions during

firefighting

No specific firefighting precautions known.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Environmental precautions Not considered to be a significant hazard due to the small quantities used. However, large or

frequent spills may have hazardous effects on the environment.

Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Wear suitable protective

equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Collect and place in suitable waste disposal containers and seal securely. For

waste disposal, see Section 13.

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet.

7. Handling and storage

Precautions for safe handling

Usage precautionsGood personal hygiene procedures should be implemented. When handled correctly,

undamaged units represent no danger.

Conditions for safe storage, including any incompatibilities

Storage precautions Keep separate from food, feedstuffs, fertilizers and other sensitive material. Store in tightly-

closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

HYDROCHLORIC ACID 37%

Ceiling exposure limit: OSHA 5 ppm 7 mg/m³
Ceiling exposure limit: ACGIH 2 ppm 2.98 mg/m³

A4

NICKEL (II) SULFATE HEXAHYDRATE

Long-term exposure limit (8-hour TWA): ACGIH 0,1 mg/m3

Short-term exposure limit (15-minute): ACGIH

OSHA = Occupational Safety and Health Administration.

ACGIH = American Conference of Governmental Industrial Hygienists.

A4 = Not Classifiable as a Human Carcinogen.

Ingredient comments Due to the hazardous nature of ingredients, exposure should be minimal.

Exposure controls

Protective equipment





Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. The following protection should be worn: Chemical splash goggles.

Hand protection It is recommended that chemical-resistant, impervious gloves are worn. It is recommended

that gloves are made of the following material: Nitrile rubber.

Hygiene measures No specific hygiene procedures recommended but good personal hygiene practices should

always be observed when working with chemical products. Wash promptly if skin becomes

contaminated.

Respiratory protection Due to the physical nature of this product, exposure by this route is unlikely. No specific

recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Liquid.

Other information No data available.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability Stable under the prescribed storage conditions.

Green.

Possibility of hazardous

reactions

Color

No data available.

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

Hazardous decomposition

products

When heated, vapors/gases hazardous to health may be formed.

11. Toxicological information

Information on toxicological effects

Toxicological effects This product is toxic.

Other health effects Mutagen Category 3. Carcinogen Category 1. Toxic to Reproduction Category 1.

Revision date: 10/1/2020 Revision: 13 Supersedes date: 8/31/2018

GREEN 2 SOLUTION

Acute toxicity - oral

ATE oral (mg/kg) 12,609.76

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 383.28

Ingestion May cause discomfort if swallowed.

Skin Contact May cause sensitisation by skin contact.

Acute and chronic health

hazards

Known or suspected carcinogen for humans. Contains a substance/a group of substances

which may cause cancer.

12. Ecological information

Ecotoxicity The product contains substances which are toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment.

Toxicity Very toxic to aquatic organisms.

Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

14. Transport information

General As supplied, this product is consigned under the Excepted Quantities provisions. When

handled correctly, undamaged units represent no danger.

UN Number

UN No. (TDG) 1789

UN No. (IMDG) 1789

UN No. (ICAO) 1789

UN No. (DOT) UN1789

UN proper shipping name

Proper shipping name (TDG) HYDROCHLORIC ACID

Proper shipping name (IMDG) HYDROCHLORIC ACID

Proper shipping name (ICAO) HYDROCHLORIC ACID

Proper shipping name (DOT) HYDROCHLORIC ACID

Transport hazard class(es)

DOT hazard class 8
DOT hazard label 8
TDG class 8
TDG label(s) 8

IMDG Class 8

ICAO class/division 8

Transport labels



DOT transport labels



Packing group

TDG Packing Group III
IMDG packing group III
ICAO packing group III
DOT packing group III

Environmental hazards

Environmentally Hazardous Substance



Special precautions for user

IMDG Code segregation 1. Acids

group

EmS F-A, S-B

DOT reportable quantity RQ: Hydrogen chloride (140056.0224 lbs)

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

Guidance Material Safety Data Sheets for Substances and Preparations.

US Federal Regulations

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed.

SARA 313 Emission Reporting

None of the ingredients are listed.

CAA Accidental Release Prevention

None of the ingredients are listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

Massachusetts "Right To Know" List

None of the ingredients are listed.

Rhode Island "Right To Know" List

None of the ingredients are listed.

Minnesota "Right To Know" List

None of the ingredients are listed.

New Jersey "Right To Know" List

None of the ingredients are listed.

Pennsylvania "Right To Know" List

None of the ingredients are listed.

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US-TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

16. Other information

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Issued by L. Morgan

Revision date 10/1/2020

Revision 13

Supersedes date 8/31/2018

SDS status Approved.

Hazard statements in full

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H350i May cause cancer by inhalation.

H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H372 Causes damage to organs (Lungs) through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H401 Toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.